Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1550	(717/127 or 717/128 or 717/174 or 717/176 or 717/177)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:25
S2	33	S1 and (debug\$4 same (on?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 16:02
S3	15	S2 and (program near3 counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:10
54	8	S1 and (debug\$4 same (off?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:47
S5	5	(US-6665821-\$ or US-6732307-\$ or US-6145123-\$ or US-6009270-\$ or US-6145100-\$).did.	USPAT	OR	OFF	2004/11/23 16:14
S8	4836	(714/724 or 714/45)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:11
S 9	72	S8 and (trac\$3 same (on?chip or off?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:26
S10	13	S9 and (trac\$3 with synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:12
S11	5	S10 and (program near3 counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:12
S12	1550	(717/127 or 717/128 or 717/174 or 717/176 or 717/177)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:19

S13	29	S12 and (trac\$3 same (on?chip or off?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:20
S14	90	S13 or S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:20
S16	7	S14 and (synchroniz\$5 with (period\$1 or interval\$1 or (time near3 difference\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:26
S17	50323	(synchroniz\$5 with (period\$1 or interval\$1 or (time near3 difference\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:26
S18	1285	(trac\$3 same (on?chip or off?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:26
S19	36	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:27
S20	12	S19 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:27
S21	37	((transfer\$4 or send\$3 or receiv\$3) with (trace with (data or code or information or synchroniz\$5))) same internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:33
S22	1883	(717/127 or 717/128 or 717/174 or 717/176 or 717/177)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:32
S23	3073	(714/724 or 714/45)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:33

S24	4825	S23 or S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:33
S25	1526	(trac\$3 same (on?chip or off?chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:34
S26	693268	(operat\$3 or kernel or supervisor\$1 or administrator\$1 or user\$1 or debug\$4) with mode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S27	659	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:35
S28	10	S27 and (kernel with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S29	4	S28 and (debug\$4 with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S30	1922	S26 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S31	48	S30 and (kernel with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S32	14	S31 and (debug\$4 with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:37
S33	1	S32 and (supervisor\$3 with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:47

S34	12	S32 and (user\$1 with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:48
S35	0	S34 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:38
S36	3	S31 and ((supervisor\$3 or administrator\$1) with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 13:13
S37	2	S36 and (user\$1 with mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 12:48
S38	56583	operating adj1 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:52
S39	1883	(717/127 or 717/128 or 717/174 or 717/176 or 717/177)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:52
S40	83	S38 same (kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:53
541	4	S40 and (debug\$4 near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:53
S42	4	S40 and (user-mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:54
S43	429	kernel-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:54

S44	277	S43 and user-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:00
S45	0	S44 and debug-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:55
S46	2	S44 and (debug near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:55
S47	6	S44 and (generat\$3 with trace)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 15:57
S48	4	S44 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:02
S49	1	tracing with kernel-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:07
S50	1	tracing with user-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:05
S51	7	tracing with (user adj1 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:05
S52	4	S51 and (kernel-mode or (kernel near3 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:07
S53	2	"6009270".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 16:29

S54	12	(US-6009270-\$ or US-6145100-\$ or US-6145123-\$ or US-6311326-\$ or US-6314530-\$ or US-6665821-\$ or US-6732307-\$ or US-6816924-\$ or US-6282701-\$ or US-6934832-\$ or US-6523141-\$ or US-5970246-\$).did.	USPAT	OR	OFF	2005/12/27 17:36
S55	3	S54 and multi-tasking	USPAT	OR	OFF	2005/12/27 17:36